| L | Hits | Search Text | DB | Time stamp |
|-------------|------|---|---------------------|---------------------|
| Number 1 | 59 | (return near2 address near3 (list buffer | USPAT; | 2004/08/05 |
| 1 | 59 | stack cache)) same (entry with pointer) | US-PGPUB | 13:07 |
| 2 | 49 | (return near2 address near3 (list buffer | USPAT; | 2004/08/05 |
| ۷ | 4.9 | stack cache)) same (entry with pointer) | US-PGPUB | 13:07 |
| | | and g06f\$.ipc. | | |
| 3 | 10 | (return near5 predict\$3) and (return | USPAT; | 2004/08/05 |
| J | 10 | near3 address with (count number)) and | US-PGPUB | 13:12 |
| | | ring | | |
| 4 | 22 | (link\$3 adj1 list) with return near2 | USPAT; | 2004/08/05 |
| | | address and g06f\$.ipc. | US-PGPUB | 14:10 |
| 5 | 92 | stack with tag with (identifying | USPAT; | 2004/08/05 |
| ' | | identifi\$6) and g06f\$.ipc. | US-PGPUB | 14:11 |
| 6 | 26 | stack near5 tag near5 (identifying | USPAT; | 2004/08/05 |
| | | identifi\$6) and g06f\$.ipc. | US-PGPUB | 14:20 |
| 7 | 42 | stack near5 tag near3 valid and | USPAT; | 2004/08/05 |
| | | g06f\$.ipc. | US-PGPUB | 14:20 |
| 8 | 7 | stack near3 tag near2 valid and | USPAT; | 2004/08/05 |
| | | g06f\$.ipc. | US-PGPUB | 14:25 2004/08/05 |
| 9 | 22 | stack near6 "branch tag" and g06f\$.ipc. | USPAT; US-PGPUB | 14:25 |
| 10 | 265 | 712/233.ccls. | US-PGPUB USPAT; | 2004/08/05 |
| 18 | 267 | /12/253.CC1S. | US-PGPUB | 16:52 |
| 19 | 317 | 712/234.ccls. | USPAT; | 2004/08/05 |
| 1 2 2 | 31/ | 112/231.0013. | US-PGPUB | 16:52 |
| 20 | 358 | 712/239.ccls. | USPAT; | 2004/08/05 |
| 20 | | ,12,20,.0010. | US-PGPUB | 16:52 |
| _ | 33 | (return near5 predict\$3) and (return | USPAT; | 2004/08/05 |
| | | near3 address with (count number)) | US-PGPUB | 13:10 |
| _ | 47 | (return near5 predict\$3) and (return | USPAT; | 2004/08/04 |
| | | near3 address with (count\$2 number)) | US-PGPUB | 08:53 |
| _ | 44 | (return near5 predict\$3) and (return | USPAT; | 2004/08/04 |
| | | near3 address with (count\$2 number)) and | US-PGPUB | 13:08 |
| | | g06f\$.ipc. | | |
| - | 1078 | (return near3 address with (count\$2 | USPAT; | 2004/08/04 |
| , | | number)) and g06f\$.ipc. | US-PGPUB | 12:40 2004/08/04 |
| - | 36 | predict\$3 same (return near3 address with | USPAT; US-PGPUB | 12:52 |
| | | (count\$2 number)) and g06f\$.ipc. | USPAT; | 2004/08/04 |
| _ | 646 | (return near3 address with (amount | US-PGPUB | 12:57 |
| | 33 | times)) and g06f\$.ipc. predict\$3 same (return near3 address with | USPAT; | 2004/08/04 |
| - | 33 | (amount times)) and g06f\$.ipc. | US-PGPUB | 13:01 |
| Í _ | 77 | predict\$3 with return with (count\$2 | USPAT; | 2004/08/04 |
| | '' | number amount) and g06f\$.ipc. | US-PGPUB | 13:12 |
| _ | 46 | 1 | USPAT | 2004/08/04 |
| | | number amount) and g06f\$.ipc. | | 13:02 |
| _ | 1 | (return near5 predict\$3) and (return | EPO; JPO | 2004/08/04 |
| | | near3 address with (count\$2 number)) and | | 13:10 |
| | | g06f\$.ipc. | | |
| - | 5 | | DERWENT; | 2004/08/04 |
| | | near3 address with (count\$2 number)) and | IBM_TDB | 13:10 |
| | | g06f\$.ipc. | mpo: The | 2004/00/04 |
| | 9 | | EPO; JPO | 2004/08/04 |
| | 1 . | number amount) and g06f\$.ipc. | DEDMENT. | 13:12 |
| - | 7 | predict\$3 with return with (count\$2 | DERWENT; | 13:13 |
| | 1 | number amount) and g06f\$.ipc. | IBM_TDB DERWENT; | 2004/08/04 |
| - | 0 | | IBM TDB | 13:14 |
| | _ | g06f\$.ipc. (predict\$3 with return) and recursive and | EPO; JPO | 2004/08/04 |
| - | 0 | q06f\$.ipc. | 1 220, 010 | 13:14 |
| _ | 71 | | USPAT; | 2004/08/04 |
| | '1 | q06f\$.ipc. | US-PGPUB | 13:15 |
| 1 _ | 8 | (predict\$3 with (return near3 address)) | USPAT | 2004/08/04 |
| | | and recursive and g06f\$.ipc. | | 13:26 |
| _ | 56 | | USPAT | 2004/08/04 |
| | | | | 13:26 |
| - | 3 | (predict\$3 with recursive) and | USPAT | 2004/08/04 |
| | | 712/\$3?.ccls. | | 13:29 |
| - | 5 | 1 | USPAT | 2004/08/04 |
| | | address\$2)) and 712/\$3?.ccls. | | 13:40 |

|] ~ | 2 | (duplicat\$3 with return with (entr\$3 | USPAT | 2004/08/04 |
|------|-----|--|----------|------------|
| | | <pre>predict\$3 address\$2)) not ((duplicat\$3</pre> | | 13:42 |
| [| | near5 return near3 (predict\$3 address\$2)) | | (|
| 1 | | and 712/\$3?.ccls.) and 712/\$3?.ccls. | | 1 |
| - | 136 | (L= (L=) | USPAT | 2004/08/04 |
| | | nested and 712/\$3?.ccls. | | 13:43 |
| - | 0 | return with (predict\$3 address\$2) same | EPO; JPO | 2004/08/04 |
| Į į | | nested and 712/\$3?.ccls. | | 13:43 |
| - | 0 | return with (predict\$3 address\$2) same | DERWENT; | 2004/08/04 |
| | | nested and 712/\$3?.ccls. | IBM_TDB | 13:43 |
| ! - | 55 | The second of th | USPAT | 2004/08/04 |
| | | nested same (count\$3 number amount | | 13:44 |
| | | incremet\$3 increas\$3) and 712/\$3?.ccls. | | |
| - | 95 | (compar\$4 with return near3 address) with | USPAT; | 2004/08/04 |
| | ! | (stack cache buffer) | US-PGPUB | 14:27 |
| - | 67 | (compar\$4 with return near3 address) with | USPAT | 2004/08/04 |
| | | (stack cache buffer) and g06f\$.ipc. | | 14:28 |
| - | 32 | (compar\$4 with return near3 address) with | USPAT | 2004/08/04 |
| 1 | | (stack cache buffer) same (count\$3 value | | 15:00 |
| 1 | | number amount) and g06f\$.ipc. | |) |
|] - | 61 | ("same" identical equal) with "return | USPAT | 2004/08/04 |
| | | address" with (count\$2 number | | 15:02 |
| 1 | | increment\$3) and g06f\$.ipc. | | l . |
|] - | 9 | ("3909797" "4488227" "5016164" | USPAT | 2004/08/04 |
|] | | "5274817" "5276882" "5301325" | | 15:22 |
| | | "5454086" "5528753" "5604877").PN. | | |
| 1- 1 | 10 | 5732272.URPN. | USPAT | 2004/08/04 |
| } | | · | | 16:16 |
| - | 15 | count\$2 with maximum with allocat\$3 with | USPAT; | 2004/08/05 |
| | | new and g06f\$.ipc. | US-PGPUB | 10:39 |
| - | 18 | predict\$3 with (sav\$3 stor\$3) with | USPAT; | 2004/08/05 |
| | | ((stack near3 pointer) TOS) | US-PGPUB | 13:05 |